



FIRE SERVICE TRAINING

Firefighter I Skill Sheets

NFPA 1010 - 2024 Edition



Fire Fighter I Certification – NFPA 1010

FIREFIGHTER I PRACTICAL TEST

- Each practical test will include all four mandatory skills
- Each test will include two randomly drawn skills (one from each category, which include Categories I, II).
- Each test will have a total of 6 skills which include 4-mandatory and 2 randomly drawn skills

MANDATORY SKILLS

- | | |
|---|--|
| 1 | Inspect PPE and SCBA |
| 2 | Don and Doff SCBA and PPE |
| 3 | Ropes, Knots, Tool Hoisting and Rope Service |
| 4 | Single Firefighter Ladder Raise and Carry |

CATEGORY I (Individual Skills)

- | | |
|----|---|
| 5 | SCBA Failure and Emergency Operations |
| 6 | SCBA Restricted Passages and Cylinder Change |
| 7 | Responding to an Emergency and Scene Safety |
| 8 | Control of Building Utilities, Illuminating and Emergency Scene and Service Equipment |
| 9 | Wildland Fire Control |
| 10 | Communications |
| 11 | Communications – Calling the MayDay |
| 12 | Forcible Entry |
| 13 | Water Supply - Reverse Lay |
| 14 | Water Supply - Forward Lay |
| 15 | Air Monitoring |
| 16 | Automatic Sprinkler Systems |
| 17 | Pre-Connect Hose Deployment |
| 18 | Cleaning and Inspecting Hose |
| 19 | Cleaning and Inspecting Ladders |

CATEGORY II (Team Skills)

- | | |
|----|--|
| 20 | Extending a Hose Line |
| 21 | Water Supply – Drafting from a Static Water Source |
| 22 | Deploying a 2.5 Attack Line |
| 23 | Working Line Drag and Master Stream Operation |
| 24 | Search and Rescue |
| 25 | Rescue a Victim Using a Ladder |
| 26 | Horizontal Ventilation with Positive Pressure Fan |
| 27 | Vertical Ventilation Using a Power Tool |
| 28 | Salvage Covers |

LIVE FIRE SKILL SHEETS

- | | |
|---|--------------------------------------|
| 1 | Structure Fire, Ground Level |
| 2 | Structure Fire, Above Ground Level |
| 3 | Structure Fire, Below Ground Level |
| 4 | Vehicle Fire |
| 5 | Dumpster and Exterior Fire |
| 6 | Fire Extinguishers |
| 7 | Overhaul of Class A and Hidden Fires |

***Live Fire Skill Sheets are evaluated during training sessions. ***



Inspection of PPE and SCBA

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.1.2

Fire Fighter

Skill Sheet 01

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
INSPECTION PPE				
1. Identifies all PPE is present (helmet, hood, coat and pants, suspenders, boots, gloves.)				
2. Inspects all articles of PPE for damage and cleanliness.				
3. NFPA compliant tags found in all articles.				
4. Verbalizes the need and use of hearing protection.				
5. Verbalizes the need and use of eye protection.				
6. Verbalizes cleaning and reporting of damage found during inspection of PPE.				
INSPECTION SCBA				
7. Checks harness assembly for cleanliness and damage.				
8. Checks condition of cylinder for cleanliness and damage.				
9. Checks cylinder no less than 90% full. ♦				
10. Cylinder opened fully verifies no leaks.				
11. Low pressure alarm function verified.				
12. Checks gauges and/or indicators (i.e. heads up display) are functioning within manufacturer's guidelines.				
13. Demonstrates PASS alarm and describes all functions and modes.				
14. Inspects facepiece for cleanliness and damage.				
15. Dons facepiece and checks for proper seal. Note: Not all face pieces are designed for a seal check without regulator being attached and activated.				
16. Regulator function checked by taking normal breath(s). ♦				
17. By-pass and/or purge valve checked, if applicable. ♦				
18. Removes facepiece and bleeds down SCBA.				
19. Prepares SCBA for immediate reuse or reports otherwise.				
Equipment Safety Stop: ☐	Candidate Safety Stop: ☐			
Candidate must successfully perform 16/19 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/19		Score: ____/19	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Inspection of PPE and SCBA

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.1.2

Fire Fighter

Skill Sheet 01

Instructions: The candidate will identify and inspect all PPE and SCBA components so that they are determined to be ready for service or reported otherwise. Candidate will provide all NFPA compliant PPE and SCBA which includes: helmet, hood, coat, pants, suspenders, boots, gloves, hearing protection, eye protection, SCBA, Facepiece and PASS device.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Don PPE and SCBA

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.1.2, 6.3.1(B-5)

Fire Fighter

Skill Sheet 02

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
Evaluator tells candidate: "Prepare your PPE and SCBA for donning. After you have arranged all of your equipment you will need to tell me when you are ready. After you are ready, time will start whenever you touch any part of your PPE or SCBA."				
1. Dons pants and boots with suspenders in place.				
2. Dons hood, coat, including storm flap closed and collar up.				
3. Dons SCBA ensuring valves are fully opened (cylinder/mainline).				
4. Dons helmet and gloves.				
5. Dons and activate full PPE and SCBA (including gloves and PASS) within 90 seconds. (Candidate to clap hands when completed.)				
1 st Attempt Time: _____ Retest Time: _____				
6. Dons all PPE with no skin exposed.				
7. Activates PASS in normal mode for manual PASS device.				
DOFF SCBA & PPE				
8. Doffs SCBA, inspects for damage and report if necessary, close cylinder, bleed bypass and return to a ready state.				
9. Verbalizes that the cylinder must be at least 90% full.				
10. Doffs PPE, inspects for damage and report if necessary or return to a ready state.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 10/10 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/10		Score: ____/10	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u>.				



Don PPE and SCBA

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.1.2, 6.3.1(B-5)

Fire Fighter

Skill Sheet 02

Instructions: The candidate will provide NFPA compliant personal protective equipment, which includes: helmet, hood, pants, suspenders, boots, gloves, SCBA, and PASS device. The candidate shall don full PPE and SCBA within 90 seconds. Candidate doffs SCBA and PPE. Candidate shall inspect all PPE and SCBA components so that they are determined to be ready for service or reported otherwise.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Ropes, Knots, Tool Hoisting, and Rope Service

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.1.2, 6.3.12(B-2), 6.3.20(B-1), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 03

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
KNOT AND HITCH TYING				
Evaluator tells candidate to properly tie the following knots:				
1. Candidate properly ties a Clove hitch.				
2. Candidate properly ties a Figure eight on a bight.				
3. Candidate properly ties a Half hitch.				
TOOL HOISTING				
4. Candidate ties approved knot on an axe.				
5. Candidate communicates to team member to hoist ventilation tool.				
6. Hoisting is performed safely and control is maintained. ♦				
Evaluator tells candidate to lower equipment and place rope back in service. During its use for hoisting, the rope has become dirty from the mud in the area.				
ROPE SERVICE				
7. Inspect rope of cleanliness and damage.				
8. Verbalize how to clean rope.				
9. Verbalize how to store rope.				
10. Verbalize how to place rope back in service or report otherwise.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/10 steps including <u>ALL Critical Criteria</u> . ♦	Score: ____/10		Score: ____/10	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Ropes, Knots, Tool Hoisting, and Rope Service

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.1.2, 6.3.12(B-2), 6.3.20(B-1), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 03

Instructions: The candidate operating on a simulated fire scene, will tie three knots or hitches, will tie an approved knot and hoist or have hoisted a tool or piece of equipment to a designated height of at least second story roof or higher, and then demonstrate proper rope inspection, cleaning, and storage methods. Candidate will be wearing full PPE including structural firefighting gloves for knot tying and tool hoisting.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Single Firefighter Ladder Raise and Carry

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.6(B-1, 2, 3, 4, 5, 6, 7), 6.3.9(B-2), 6.3.12(B-6)

Fire Fighter I

Skill Sheet FFI – 04

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:	P	F	P	F	
1. Carries ladder to the building using single-firefighter technique.					
2. Determines that the wall/roof will support the ladder.					
3. Checks for overhead obstructions before raising (verbalizes). ♦					
4. Raises ladder to appropriate height and vertical position.					
5. Extends ladder and locks flies ensuring ladder is stable and under control. ♦					
6. Climbs to assigned point maintaining three points of contact on ladder (assistant heeling ladder).					
7. Descends ladder and lowers ladder to ground.					
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐					
Candidate must successfully perform 6/7 steps including <u>ALL</u> Critical Criteria. ♦			Score: ____/7		Score: ____/7
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>					



Single Firefighter Ladder Raise and Carry

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.6(B-1, 2, 3, 4, 5, 6, 7), 6.3.9(B-2), 6.3.12(B-6)

Fire Fighter I

Skill Sheet FFI – 04

Instructions: The candidate, shall carry a 24' ladder using an approved technique. The candidate shall raise ladder, set proper climbing angle, climb ladder to a designated point, and safely lower ladder to ground. Evaluator to provide assistance in heeling the ladder from either the front or back.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



SCBA Failure and Emergency Operations

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.2(B-1), 6.2.3(B-1), 6.3.1(B-1, 4), 6.3.5(B-3)

Fire Fighter I

Skill Sheet FFI – 05

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
CONSERVATION OF AIR					
1. Demonstrates a controlled breathing technique for 30 seconds.					
SCBA FAILURE					
Evaluator tells candidate: "You have a sudden failure of air supply."					
2. Candidate first checks regulator and opens bypass valve.					
3. Checks main cylinder valve, verify it is fully opened.					
4. Checks remote gauge or indicators.					
Evaluator tells candidate: "Your regulator has failed, but your bypass valve is working."					
5. Use bypass valve to breathe. ♦					
6. Use portable radio to notify incident command of emergency situation, their current location, and they are leaving structure immediately. ♦					
7. Exits hazardous atmosphere quickly.					
8. Verbalize report to company officer or incident command after safely exiting the building.					
9. Verbalize how to remove SCBA from service.					
Equipment Safety Stop: ☐		Candidate Safety Stop: ☐			
Candidate must successfully perform 8/9 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/9		Score: ____/9	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .					



SCBA Failure and Emergency Operations

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.2(B-1), 6.2.3(B-1), 6.3.1(B-1, 4), 6.3.5(B-3)

Fire Fighter I

Skill Sheet FFI – 05

Instructions: The candidate, while operating in a simulated hazardous atmosphere, wearing full PPE and SCBA, shall demonstrate controlled breathing technique and emergency procedures in the event of SCBA failure and low air situation.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



SCBA Restricted Passages and Cylinder Change

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.3(B-1, 2), 6.3.1(B-1, 2, 3, 4), 6.3.5(B-1, 2, 3), 6.3.9(B-1)

Fire Fighter I

Skill Sheet FFI – 06

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
EXIT RESTRICTED PASSAGE				
Evaluator tells candidate: "You and your partner have been separated. You realize that you are trapped inside the structure and unable to exit through normal pathways. You cannot find your partner. Your only way out is through this restricted passage, once through, you must exit the hazardous area."				
1. Air conservation techniques begun.				
2. Calls a mayday over handheld radio and activates alarm mode on their PASS device.				
3. * Exits through restricted passage while maintaining respiratory protection, while following a hoseline/guideline. ♦				
4. SCBA is returned to normal position.				
5. Exits hazard area without depleting air supply prior to exit. ♦				
6. Communicates status to incident command. ♦				
CHANGING AIR CYLINDER				
7. Doffs SCBA backpack.				
8. Closes cylinder valve and bleed pressure down.				
9. Disconnects hose from cylinder.				
10. Replaces empty cylinder with full cylinder (90-100% of capacity).				
11. Reconnects hose to cylinder.				
12. Opens cylinder valve and checks for leaks.				
13. Dons backpack.				
14. Activates SCBA and go on air.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 12/14 steps including <u>ALL</u> Critical Criteria. ♦	Score: ___/14		Score: ___/14	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				

NOTE: *SCBA may be manipulated from normal position as long as respiratory protection is maintained at all times.



SCBA Restricted Passages and Cylinder Change

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.3(B-1, 2), 6.3.1(B-1, 2, 3, 4), 6.3.5(B-1, 2, 3), 6.3.9(B-1)

Fire Fighter I

Skill Sheet FFI – 06

Instructions: The candidate, while operating at a simulated hazardous environment and wearing full PPE and SCBA, shall be able to exit hazardous area through a restricted passage (i.e. between wall studs, floor joists, or through a small window).

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Responding to an Emergency and Scene Safety

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.2(B-1), 6.3.3(B-1, 2, 3, 4)

Fire Fighter I

Skill Sheet FFI – 07

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
EMERGENCY RESPONSE				
Evaluator tells candidate: "We are receiving an emergency call and need to respond to an automobile accident on the freeway."				
1. Dons PPE prior to response.				
2. Secures seat belts prior to vehicle going into motion.				
3. Dons hearing protection (This can be apparatus mounted hearing protection.).				
4. Prior to apparatus moving, candidate shall communicate to the company officer that they are ready to respond.				
Apparatus moves forward to simulate response and comes to a stop at scenario location.				
5. Checks for oncoming traffic or other hazards before dismounting.				
6. Dismounts apparatus safely.				
SCENE CONTROL				
Evaluator tells candidate: "You have arrived on scene and you need to create a safety zone behind the apparatus using traffic control devices."				
7. Deploys traffic control devices. (i.e. cones)				
8. Reports to company officer when task is complete.				
HAZARD MITIGATION				
Evaluator tells candidate: "A downed power line (residential neighborhood) has been located and you need to minimize the hazard by placing scene control devices around the hazard. Make sure that you approach with caution and do not get any closer to downed wires than necessary."				
9. Places scene control devices to isolate hazard (cones or other barrier devices).				
10. Reports to company officer when task is complete.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/10 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/10		Score: ____/10	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Responding to an Emergency and Scene Safety

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.2(B-1), 6.3.3(B-1, 2, 3, 4)

Fire Fighter I

Skill Sheet FFI – 07

Instructions: The candidate shall respond on an apparatus, safely mount and dismount the apparatus, identify scene hazards, and deploy traffic control devices while wearing full PPE.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Control Bldg. Utilities and Illuminating Scene

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.17(B-1, 2, 3, 4), 6.3.18(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 08

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
SHUTTING OFF BUILDING UTILITIES				
Evaluator tells candidates: "You are at a structure fire and are assigned the task of shutting off building utilities."				
1. Dons appropriate PPE for the hazard. ♦				
2. Locates and shut off main electric supply.				
3. Locates and shut off natural gas meter and/or LPG/CNG storage tank/cylinder.				
4. Locates water meter box and shut off meter.				
5. Reports to company officer task complete.				
ILLUMINATING A SCENE				
Evaluator tells the candidate: "The incident commander is now calling for additional lighting, you need to deploy the portable lights inside the structure."				
6. Locates power plant outside of the hazard zone and in a well vented location.				
7. Starts power plant.				
8. Power plant runs continuously without restarts due to candidate mistakes.				
9. Places lights inside structure and illuminates in a useful manner.				
10. Identifies the GFCI locations on the equipment and demonstrates on how to reset.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/10 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/10		Score: ____/10	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Control Bldg. Utilities and Illuminating Scene

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.17(B-1, 2, 3, 4), 6.3.18(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 08

Instructions: The candidate while operating on a simulated fire scene, will locate and properly turn off utilities to a structure and illuminate an emergency scene.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Wildland Ground Fire Control

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.19(B-1, 2, 3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 09

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
IDENTIFICATION AND PROTECTION OF EXPOSURES				
Evaluator tells candidate: "You need to identify the primary and secondary exposures based on the map and information provided to you for this scenario."				
1. Identifies the primary and secondary exposures.				
2. Verbalizes how to protect exposures.				
3. Identifies a safe haven on the map.				
FIRE CONTROL				
Evaluator tells candidate: "You have wildland fire approaching a primary exposure."				
4. Verbalizes the need for a fire line and describe the tools and equipment needed for building a fire line.				
5. Demonstrates the use of wildland tools to build a fire line.				
6. Demonstrates the deployment of a hose line and method used to extinguish a ground cover fire.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 5/6 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/6		Score: ____/6	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Wildland Ground Fire Control

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.19(B-1, 2, 3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 09

Instructions: The candidate will recognize and protect exposures from a wildland fire, given a map depicting a wildland fire with multiple exposures, so that exposures are identified, prioritized, and an appropriate strategy and tactic is chosen to protect exposures, and extinguish using hand tools and/or water.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Communications

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.2.1(B-1), 6.2.2(B-1)

Fire Fighter I

Skill Sheet FFI – 10

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
RECEIVING A CALL				
Evaluator tells candidate: "Dispatch has received a call of a possible garage fire at 110 Aspen Circle. Please relay information as needed."				
1. Records information given to you from dispatch.				
2. Ensures the radio is on the proper channel.				
3. Ensures radio is free of traffic and available for use.				
INITIATES A RESPONSE				
4. Holds the microphone in appropriate transmit position.				
5. Depresses the transmit button and holds down until through with transmission.				
6. Notifies dispatch you're responding, utilizing a portable radio, in plain language.				
7. Relays accurate information upon arrival on scene to dispatch.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 6/7 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Communications

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.1(B-1), 6.2.2(B-1)

Fire Fighter I

Skill Sheet FFI – 10

Instructions: The candidate shall transmit and receive communications using fire department equipment and technology, given the equipment and technology, so that the information is accurate, complete, clear, and relayed.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Communications – Calling the MayDay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.3(B-1, 2), 6.3.5(B-4)

Fire Fighter I

Skill Sheet FFI – 11

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
Evaluator tells candidate: "You have been separated from your crew in a structure fire."					
1. Verbalize the need to activate emergency button.					
2. States "Mayday, Mayday, Mayday" over the radio.					
3. Provides essential information (Who, what, where).					
4. Activates PASS device and flashlight if not already activated (if applicable).					
5. Attempts self-rescue or moves to a more survivable location (if possible).					
6. Maintains communication with Incident Command and updates as needed.					
Equipment Safety Stop: ☐		Candidate Safety Stop: ☐			
Candidate must successfully perform 5/6 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/6		Score: ____/6	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .					



Communications – Calling the MayDay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.2.3(B-1, 2), 6.3.5(B-4)

Fire Fighter I

Skill Sheet FFI – 11

Instructions: The candidate shall demonstrate the ability to recognize a life-threatening situation and correctly transmit a Mayday using department communication procedures. **The scenario should be simulated in a smoke-filled room, or SCBA facepiece covered to simulate real stress conditions.**

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Forcible Entry

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.4(B-1), 6.3.11(B-2)

Fire Fighter I

Skill Sheet FFI – 12

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test	Retest		
Candidate safely performs the following steps:		P	F	P	F
WINDOW					
Evaluator tells candidate: "You have responded to a structure fire and your company officer has assigned you the task of performing forcible entry on this window."					
Evaluator Circle Task to perform:					
Pry a window open		Break open a glass window			
1. Uses appropriate tool and technique.					
2. Clear opening of obstacles.					
DOOR					
Evaluator tells candidate: "You have responded to a structure fire and your company officer has assigned you the task of performing forcible entry on this door."					
Evaluator Circle Task to perform:					
Inward Swinging Door		Outward Swinging Door			
3. Uses appropriate tool and technique.					
4. Clear opening of obstacles.					
WALL					
Evaluator tells candidate: You have responded to a structure fire and your company officer has assigned you the task of performing forcible entry on this wall.					
Evaluator Circle Task to perform:					
Wood		Masonry		Metal	
5. Uses appropriate tool and technique.					
6. Clear opening of obstacles.					
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐					
Candidate must successfully perform 6/6 steps including <u>ALL</u> Critical Criteria. ♦				Score: ____/6	Score: ____/6
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .					



Forcible Entry

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.4(B-1), 6.3.11(B-2)

Fire Fighter I

Skill Sheet FFI – 12

Instructions: The candidate shall make forcible entry into a structure through a locked window, a locked door, and a wall using one or more of the provided forcible entry tools.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Water Supply – Reverse Lay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.15(B-1, 4)

Fire Fighter I

Skill Sheet FFI – 13

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
CONNECTION TO A FIRE HYDRANT, REVERSE LAY				
Evaluator tells candidate: “You are going to perform a reverse lay.”				
1. Candidate exits apparatus and pulls end of supply hose from hose bed, grabs hose adapters and other necessary tools (if applicable).				
2. Candidate secures hose with enough extra to make connection to apparatus.				
3. Signals to driver to proceed to hydrant.				
4. Makes connection to intake on apparatus.				
5. Communicates with evaluator when the connection has been made and apparatus is ready for water.				
TIME STOP				
Evaluator tells candidate to return all equipment to ready state.				
6. All hose tools and equipment are returned to original locations.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 6/6 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/6		Score: ____/6	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Water Supply – Reverse Lay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.15(B-1, 4)

Fire Fighter I

Skill Sheet FFI – 13

Instructions: The candidate will connect a fire engine to a fire hydrant, perform a reverse lay using a minimum of 100' of hose and reload the supply hose.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Water Supply – Forward Lay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.15(B-1, 4, 5, 6)

Fire Fighter I

Skill Sheet FFI – 14

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
CONNECTION TO A FIRE HYDRANT, REVERSE LAY				
Evaluator tells candidate: "When the apparatus comes to a stop you will exit the apparatus and make a connection to the hydrant for a forward lay"				
1. Exits apparatus, pulls end of supply hose from hose bed and grabs the appropriate tools.				
2. Deploys hose from bed and secures.				
3. Signals driver/operator to proceed to fire scene.				
4. Prior to connecting supply hose to hydrant candidate checks caps for tightness on hydrant, briefly flushes hydrant, and places any valves, etc. (If applicable)				
5. Connects to hydrant.				
6. Completely opens hydrant valve when water is called.				
TIME STOP				
Evaluator tells candidate to return all equipment to ready state.				
7. All hose tools and equipment are returned to original locations.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 7/7 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u>.				



Water Supply – Forward Lay

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.15(B-1, 4, 5, 6)

Fire Fighter I

Skill Sheet FFI – 14

Instructions: The candidate will connect a fire engine to a fire hydrant, perform a forward lay using a minimum of 100' of hose and reload the supply hose.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Air Monitoring

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.21(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 15

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
1. Demonstrates ability to operate an air monitor.					
2. Recognizes and understands the various monitor alarms.					
3. Takes necessary action to mitigate the hazard causing the alarm.					
Equipment Safety Stop: ☐		Candidate Safety Stop: ☐			
Candidate must successfully perform 3/3 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/3		Score: ____/3	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>					



Air Monitoring

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.21(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 15

Instructions: The candidate, given an air monitor and an assignment, shall operate an air-monitoring instrument, so that the device is operated, and the firefighter recognizes the high- or low-level alarms of the air monitor and acts to mitigate the hazard.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Automatic Sprinkler Systems

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.14(B-8, 9)

Fire Fighter I

Skill Sheet FFI – 16

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
STOPS SPRINKLER FLOW					
Evaluator tells candidate: “You need to stop the flow of water from the sprinkler head with a wedge or “stopper”.					
1. Stops the majority of flow of water from sprinkler head.					
2. Wears full PPE and SCBA.					
3. Wedges or device remains in place after candidate releases them.					
OPERATION OF MAIN CONTROL VALVE					
Evaluator tells candidate: “You need to shut down flow to automatic sprinkler system.”					
4. Locates main control valve and shuts down water source to sprinkler system.					
5. Verbalizes how to visually check to see if main control valve is shut down.					
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐					
Candidate must successfully perform 4/5 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/5		Score: ____/5	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>					



Automatic Sprinkler Systems

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.14(B-8, 9)

Fire Fighter I

Skill Sheet FFI – 16

Instructions: As an individual, candidate will stop the flow of water from a sprinkler head using sprinkler wedges or stoppers and operate a main control valve on a sprinkler system. Candidate will wear full PPE, SCBA on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Pre-Connect Hose Deployment

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.7(B-3), 6.3.8(B-5), 6.3.10(B-1, 2, 5)

Fire Fighter I

Skill Sheet FFI – 17

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
PRE-CONNECT DEPLOYMENT HOSE LOADS					
1. Deploys pre-connect so that line is free of tangles, obstructions, and kinks and clears hose bed prior to charging of line. (Evaluator Choice – Circle load evaluated.) Flat Load Triple Layer Minutemen					
2. Extends nozzle to location given by evaluator prior to charging of line.					
3. Calls for hose line to be charged.					
4. Checks nozzle pattern, bleeds air and closes nozzle so that water hammer is avoided.					
5. Candidate reloads hose, utilizing method chosen by evaluator.					
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐					
Candidate must successfully perform 5/5 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/5		Score: ____/5	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>					



Pre-Connect Hose Deployment

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.7(B-3), 6.3.8(B-5), 6.3.10(B-1, 2, 5)

Fire Fighter I

Skill Sheet FFI – 17

Instructions: As an individual, operating on a simulated fire ground, will be able to deploy a pre-connected attack line, advance a charged hose line, extend an attack line, and reload a pre-connected attack line. Candidate shall perform task while wearing full PPE.

The evaluator will assist the first student. Upon completion, each student will assist the next student as directed, without leading or coaching the skill.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Cleaning and Inspecting Hose

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.5.2(B-1, 2, 3, 4)

Fire Fighter I

Skill Sheet FFI – 18

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
1. Cleans couplings using water and brush (soapy water if necessary).				
2. Inspects couplings on hose ensuring that swivels operate and threads are not damaged.				
3. Demonstrates replacing hose coupling gasket.				
4. Cleans hose jacket using appropriate tool and cleaning solution.				
5. Inspects hose jacket for defects or damage.				
6. Marks out of service and records information about defective hose.				
7. Dries hose if applicable.				
Equipment Safety Stop: ☐	Candidate Safety Stop: ☐			
Candidate must successfully perform 6/7 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Cleaning and Inspecting Hose

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.5.2(B-1, 2, 3, 4)

Fire Fighter I

Skill Sheet FFI – 18

Instructions: The candidate, given washing equipment, water, detergent, tools, and replacement hose gaskets shall wash and inspect fire hose according to the manufacturer's recommendations for any damage and to ensure hose is in a ready state for service.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Cleaning and Inspecting Ladders

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 19

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE		Test		Retest	
Candidate safely performs the following steps:		P	F	P	F
1. Uses water and a soft-bristle brush to remove dirt; solvents may be used for tar, oil, or grease; wipes dry.					
2. Checks lubrication of moveable parts.					
3. Checks heat sensor label (heat exposure signs).					
4. Checks rungs (tightness, deformations).					
5. Checks welds, bolts and rivets (tightness, defects).					
6. Checks beams (deformations).					
7. Checks pawls assemblies (moves freely).					
8. Checks halyard (fraying, kinking, snugness, free movement).					
9. Checks pulleys (turn freely).					
10. Checks ladder guides (free movement of fly section).					
11. Report and record findings.					
Equipment Safety Stop: ☐		Candidate Safety Stop: ☐			
Candidate must successfully perform 9/11 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/11		Score: ____/11	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .					



Cleaning and Inspecting Ladders

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 19

Instructions: The candidate, given an appropriate ladder and cleaning supplies (brush, water, lubricating material), shall demonstrate and verbally explain how to clean, maintain, and inspect a fire service ladder and report findings.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Extending a Hose Line

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.10(B-1, 2, 5, 6, 8, 9)

Fire Fighter I

Skill Sheet FFI – 20

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
EXTENDING A HOSE LINE				
Evaluator tells candidate: "Your hose line is too short to reach the objective and you need to extend your hose line. It appears you will need one section (50') to reach your objective."				
1. Calls for hose line to be shut down.				
2. Removes nozzle or nozzle tip.				
3. Extends hose line with one section of hose and attaches nozzle.				
4. Calls for hose line to be charged.				
5. Checks nozzle pattern, bleeds air and closes nozzle so that water hammer is avoided.				
REPLACING A BURST HOSE				
Evaluator tells candidate: "Your middle section of pre-connect has burst. You will need to replace the burst line."				
6. Shuts down hoseline.				
7. Burst section is removed and replaced with new hose.				
8. Calls for hose line to be recharged.				
9. Notifies command when task is complete.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/9 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/9		Score: ____/9	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Extending a Hose Line

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.10(B-1, 2, 5, 6, 8, 9)

Fire Fighter I

Skill Sheet FFI – 20

Instructions: Candidate acting as a member of a two (2) person team, shall display the ability to extend a hose line and replace a burst hose section.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Water Supply – Drafting from a Static Water Source

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.15(B-2, 3)

Fire Fighter I

Skill Sheet FFI – 21

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE			Test		Retest	
Candidate safely performs the following steps:			P	F	P	F
CONNECTION TO A STATIC WATER SOURCE						
Evaluator tells candidates: “Apparatus needs to be connected to the static water source so that it can draft water from it.”						
1. Removes hard suction from an apparatus and retrieves tools to make connection.						
2. Deploys and sets up a portable water tank for drafting purposes.						
3. Assembles equipment and maintains team communication throughout task.						
4. Rubber mallet used to tighten connections.						
5. Water intake (i.e. strainer) device is positioned in portable tank.						
6. Communicates to driver/operator when task is complete and ready for drafting operations to begin.						
Evaluator tells candidates that all connections may be broken and hose drained so that all equipment, tools and hose can be returned to the fire engine and reloaded.						
7. All hard-suction hose, tools, and equipment is returned to original locations.						
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐						
Candidate must successfully perform 7/7 steps including <u>ALL</u> Critical Criteria. ♦			Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>						



Water Supply – Drafting from a Static Water Source

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.15(B-2, 3)

Fire Fighter I

Skill Sheet FFI – 21

Instructions: As a member of a two (2) person team, candidates will connect a fire engine to a static water source. Candidates shall perform task while wearing PPE (minimum of helmet, boots, gloves and pants).

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Deploying a 2½" Attack Line

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.8(B-2, 5), 6.3.10(B-1, 2, 3, 4, 7)

Fire Fighter I

Skill Sheet FFI – 22

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
DEPLOY A 2½" ATTACK LINE				
Evaluator tells candidates: "You need to deploy a 200' attack line, assemble the line using a nozzle and attach to a discharge on the fire engine."				
1. Team members communicate and coordinate with each other.				
2. Loads hose on shoulder and advances toward ground ladder.				
3. Hose is advanced without tangles, obstructions, or kinks.				
4. Hose is uncoupled from hose bed and attached to discharge on engine (Minimum 200', if not preconnected minimum of 200').				
5. Nozzle is placed on attack line prior to climbing ladder.				
6. Informs evaluator when line is ready to be advanced.				
ADVANCING AN UNCHARGED HOSELINE UP A LADDER				
Evaluator, acting as company officer, tells candidates: "You need to advance this <u>uncharged</u> attack line up the ladder and all of the team needs to assemble and notify me when you are ready for the line to be charged."				
7. Drapes hose over shoulder and advances (Rope hose tools or utility straps may be used).				
8. Only one candidate at a time is on each section of ladder.				
9. Hose is advanced safely and in a coordinated manner so that attack line is free of tangles, obstructions, or kinks.				
10. Hose is advanced to location assigned by evaluator.				
FIRE STREAM APPLICATION				
Evaluator tells candidates: "Prepare for water and direct stream onto target." Evaluator shall choose a target approximately 60'-70' away from person on nozzle. This may be an adjacent structure, tank, vehicle, ground location or anything that will not be damaged from this distance. Evaluator calls for line to be charged so that 50 psi is delivered to the nozzle.				
11. Candidate is secured to the ladder.				
12. Nozzle is opened and stream is directed onto target.				
13. Nozzle is shut down so that water hammer is avoided.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 11/13 steps including <u>ALL</u> Critical Criteria. ♦		Score: ____/13	Score: ____/13	



Deploying a 2½" Attack Line

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.8(B-2, 5), 6.3.10(B-1, 2, 3, 4, 7)

Fire Fighter I

Skill Sheet FFI – 22

♦ Critical Criteria – Failure of this step results in failure of the entire skill.

Instructions: As a member of a two (2) person team, operating on a simulated fire ground, will be able to deploy an attack line from a hose bed, advance an uncharged hose line up a ladder to roof or second story window of a structure and direct a straight stream onto a given target. A ladder will be in place prior to the start of this skill. Candidates shall perform task while wearing full PPE and SCBA.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 20 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Working Line Drag and Master Stream Operation

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.8(B-2), 6.5.2(B-4)

Fire Fighter I

Skill Sheet FFI – 23

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
HOSE DEPLOYMENT				
Evaluator tells candidates: "You will deploy master stream device and supply line for an indirect fire attack. You need to deploy 100' supply lines per ground monitor connection." Evaluator directs candidates where to position portable ground monitor (approximately 50'-75' from engine).				
1. Team members communicate and coordinate with each other.				
2. Advances supply hose from an engine bed as a working line drag.				
3. Team advances hose so that it is free of tangles, obstructions, or kinks.				
4. Makes connections so that master stream is supplied with appropriate hose lines (1 or 2).				
5. Ground monitor is assembled and secured. ♦				
6. Calls for charging of supply lines.				
7. Operates master stream and produces one of the following streams (Evaluator choice – Circle stream chosen): Straight stream/solid stream at 45-degree angle Narrow fog (10-30 degrees) at a 45-degree angle				
RELOADING HOSE				
Evaluator tells candidates "Shut down operations and return equipment to apparatus. The hose needs to be drained and loaded back in the hose bed."				
8. Calls for shutdown of hose lines.				
9. Places all equipment back in ready state.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/9 steps including <u>ALL</u> Critical Criteria. ♦	Score: ___/9		Score: ___/9	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Working Line Drag and Master Stream Operation

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.8(B-2), 6.5.2(B-4)

Fire Fighter I

Skill Sheet FFI – 23

Instructions: As a member of a two (2) person team, operating on a simulated fire ground, will be able to deploy a hose line as a working line drag, and connect and supply a ground monitor master stream device. Candidates shall perform task while wearing full PPE and SCBA.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 20 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Search and Rescue

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.5(B-1), 6.3.9(B-5, 6)

Fire Fighter I

Skill Sheet FFI – 24

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE			Test		Retest	
Candidate safely performs the following steps:			P	F	P	F
Evaluator tells candidates: “You need to perform a primary search for a victim.						
1. Dons PPE and SCBA (on air) prior to entry into hazard area (Evaluator will define the hazard area prior to start of skill).						
2. Selects appropriate tools and equipment to perform search.						
3. Establishes and maintains an effective search pattern.						
4. Maintains proper body position for conditions present (not standing if visibility is absent or limited).						
5. Maintains team integrity and communicates structure tenability.						
6. Conducts primary search of structure and locates victim.						
7. Removes the victim without causing further harm and takes a safe distance from structure.						
8. Renders aid or passes off to EMS.						
9. Team exits hazardous atmosphere prior to coming off air. ♦						
10. Notifies Incident Command of need to complete primary search.						
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐						
Candidate must successfully perform 8/10 steps including <u>ALL</u> Critical Criteria. ♦			Score: ____/10		Score: ____/10	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>						



Search and Rescue

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.5(B-1), 6.3.9(B-5, 6)

Fire Fighter I

Skill Sheet FFI – 24

Instructions: As a member of a two (2) person team, operating on simulated fire ground, will operate and communicate within an Incident Command System, operate with their vision obscured, perform a primary search, locate and remove victims and exit hazard area prior to depletion of air supply. Candidates shall perform task while wearing full PPE and SCBA.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Rescue a Victim Using a Ladder

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.9(B-3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 25

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
Evaluator tells candidate: “You and your partner are on the second floor and have discovered an unconscious victim. They must be rescued by utilizing the ladder already in place at the window”.				
<u>Evaluator also informs the candidates which type of victim they have found. (Circle)</u>				
Firefighter with functioning respiratory protection				
Firefighter without functioning respiratory protection				
Person without respiratory protection				
1. Communicates and coordinates with each other.				
2. Verbalizes they would inform incident command of situation.				
3. Assists victim onto ladder.				
4. Uses ladder to rescue victim.				
5. Rescues victim without dropping or causing further harm. ♦				
6. Renders aid or passes off to EMS.				
7. Informs incident command when task is completed.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 6/7 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Rescue a Victim Using a Ladder

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.9(B-3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 25

Instructions: As a member of a two (2) person team, operating on simulated fire ground, will rescue a victim from an above ground location using a ground ladder that is already in place. Candidates shall perform task while wearing full PPE and SCBA.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Horizontal Ventilation with Positive Pressure

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.11(B-1), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 26

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
PRE-VENTILATION				
Evaluator tells candidates: "IC has called for positive pressure ventilation of the structure."				
1. Team members communicate and coordinate with each other.				
2. Carries tools without dropping.				
3. Places ventilation equipment in a proper location.				
4. Creates proper entrance and exit opening prior to starting equipment.				
5. Candidate goes "on air" prior to entering simulated hazardous atmosphere. ♦				
VENTILATION				
6. Starts equipment.				
7. Check to see if smoke is discharging from proper exit opening.				
8. Informs incident command when ventilation has started.				
9. Equipment continues to run without interruption.				
10. Structure is cleared of simulated smoke due to action of PPV fan.				
Evaluator tells candidates: "they may shutdown ventilation efforts."				
11. Shuts down fan and returns to ready state or reports otherwise (include cleaning, inspection, and service).				
12. Team communicates with IC (evaluator) when task completed.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 10/12 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/12		Score: ____/12	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Horizontal Ventilation with Positive Pressure

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.11(B-1), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 26

Instructions: As a member of a two (2) person team, operating on simulated fire ground, will be able to perform horizontal ventilation on a structure with a positive pressure fan. Candidates shall perform task while wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Vertical Ventilation Using a Power Tool

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.12(B-1, 3, 4, 5, 7, 8), 6.3.14(B-6), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 27

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
PRE-VENTILATION				
Evaluator tells candidates: "There is a structure fire in this building and your task is to provide vertical ventilation."				
1. Team members communicate with each other and coordinate efforts.				
2. Carries tools without losing control of tool.				
3. Starts power tools from ground before climbing ladder.				
4. Identify the need for a secondary means of egress.				
5. Identify the ideal location where the hole should be cut, which includes: highest point, nearest the seat of the fire and leeward side of roof.				
6. Candidate goes "on air" prior to climbing ladder. Candidates remain "on air" until returning to ground. ♦				
VENTILATION				
7. While secured to a ground ladder, deploys roof ladder on a pitched roof.				
8. Sound the roof prior to stepping onto roof. ♦				
9. Created appropriately sized opening and all material removed from opening.				
10. Doesn't cut completely through rafters during operations (this may be verbalized if ventilation prop doesn't contain rafters).				
11. Opens ceiling below with appropriate tool (this may be simulated).				
12. Performs task without losing control of tools or partner. ♦				
13. Team communications with Incident Commander (evaluator) when task is completed.				
Evaluator, acting as Incident Command, tells candidates: "Fire is out, all loss is stopped and prior to leaving scene you need to cover the openings with plastic sheeting."				
14. Verbalize how they would cover opening with plastic sheeting.				
15. Verbalizes how to return chain saw and hand tools to ready state or report otherwise (includes cleaning, inspection, and service).				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 13/15 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/15		Score: ____/15	



Vertical Ventilation Using a Power Tool

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.12(B-1, 3, 4, 5, 7, 8), 6.3.14(B-6), 6.5.1(B-1, 2, 3)

Fire Fighter I

Skill Sheet FFI – 27

♦ Critical Criteria – Failure of this step results in failure of the entire skill.

Instructions: As a member of a two (2) person team, operating on simulated fire ground, will be able to perform vertical ventilation on a structure. Candidates shall perform task while wearing full PPE and SCBA.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Salvage Covers

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.14(B-1, 2, 3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 28

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
DEPLOY SALVAGE COVERS				
Evaluator tells candidates "Cluster furniture in this room and deploy salvage covers using an approved method to protect occupant's belongings from water that is leaking from the ceiling."				
1. Clusters furniture so that one salvage cover will cover furniture and protect from further water damage.				
2. Deploys salvage cover over clustered furniture, using approved method.				
CATCHALLS AND WATER CHUTES				
Evaluator tells candidates "Water is now flowing heavily from ceiling and needs to be diverted out of structure using a water chute and catch all."				
3. Salvage cover that is going to be made into catchall is immediately placed under leak while catchall is being constructed.				
4. Catchall is constructed so that it will hold water without draining.				
5. Gathers all equipment and construct water chute so that water leak is diverted out of structure through door or window.				
6. Water chute is constructed so that gravity will carry the leaking water out of structure.				
CLEANING AND INSPECTION OF SALVAGE COVERS				
Evaluator tells candidates "Loss is stopped, and all salvage covers need to be cleaned and inspected."				
7. Removes salvage covers and lay flat on floor.				
8. Verbalizes how they would clean salvage covers, inspect for damage and dry.				
9. Folds salvage covers for a two-firefighter spread.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 8/9 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/9		Score: ____/9	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Salvage Covers

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.14(B-1, 2, 3, 4, 5)

Fire Fighter I

Skill Sheet FFI – 28

Instructions: As a member of a team (2 person), candidates will cluster furniture and deploy a salvage cover for property conservation and build a water chute and catchall to prevent further water damage. Candidates shall perform task while wearing full PPE.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 25 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



FIRE SERVICE TRAINING

Firefighter I Live Fire Skill Sheets

NFPA 1010 - 2024 Edition



Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.10(B-1, 2, 3, 5, 10), 6.3.13(B-1, 3)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 01

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE				Test		Retest			
Candidate safely performs the following steps:				P	F	P	F		
1. Deploys attack line.									
2. Bleeds attack line and adjusts nozzle prior to entry.									
3. Communicates with team.									
4. Stays low on entering and approaching fire.									
Circle attack pattern directed by evaluator									
DIRECT		INDIRECT		COMBINATION					
5. Correctly extinguishes the fire using pattern as assigned.									
6. Shuts down nozzle so that water hammer is avoided.									
7. Ventilates structure.									
OVERHAUL									
8. Overhaul fire scene.									
Equipment Safety Stop: ☐				Candidate Safety Stop: ☐					
Candidate must successfully perform 8/8 steps including <u>ALL</u> Critical Criteria. ♦				Score: ____/8		Score: ____/8			
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .									



Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.10(B-1, 2, 3, 5, 10), 6.3.13(B-1, 3)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 01

Instructions: As a member of a two to three (2-3) person team and under direct supervision, will extinguish a fire located at ground level within a structure. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Above Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.10(B-1, 2, 3, 4, 5, 10), 6.3.13(B-1, 3, 5)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 02

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
1. Deploys attack line.				
2. Bleeds attack line and adjusts nozzle prior to entry.				
3. Communicates with team.				
4. Uses stairway to locate fire.				
5. Stays low on entering and approaching fire.				
Circle attack pattern directed by evaluator				
	DIRECT	INDIRECT	COMBINATION	
6. Correctly extinguishes the fire using pattern as assigned.				
7. Calls for ventilation				
8. Shuts down nozzle so that water hammer is avoided.				
OVERHAUL				
9. Overhaul fire scene.				
10. Evidence of fire cause/origin located.				
11. Candidate informs command about evidence located.				
PRESERVE AND PROTECT				
12. Delays salvage/overhaul as necessary.				
13. Charred material left in place until cleared by investigator.				
14. Minimizes water and other damage.				
15. Completes overhaul assignment without destroying evidence of fire cause/origin.				
Equipment Safety Stop: ☐	Candidate Safety Stop: ☐			
Candidate must successfully perform 15/15 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/15		Score: ____/15	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Above Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.10(B-1, 2, 3, 4, 5, 10), 6.3.13(B-1, 3, 5)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 02

Instructions: As a member of a two to three (2-3) person team and under direct supervision, will extinguish a fire located above ground level within a structure. The candidate will use stairways to locate and extinguish the fire. The candidate shall expose, separate, remove and relocate charred material to a safe location and identify and preserve signs of area of origin and arson. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Below Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.10(B-1, 2, 3, 4, 5, 10), 6.3.13(B-1, 3, 5)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 03

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE			Test		Retest	
Candidate safely performs the following steps:			P	F	P	F
1. Deploys attack line.						
2. Bleeds attack line and adjusts nozzle prior to entry.						
3. Communicates with team.						
4. Uses stairway to locate fire.						
5. Stays low on entering and approaching fire.						
Circle attack pattern directed by evaluator						
DIRECT			INDIRECT		COMBINATION	
6. Correctly extinguishes the fire using pattern as assigned.						
7. Calls for ventilation						
8. Shuts down nozzle so that water hammer is avoided.						
OVERHAUL						
9. Overhaul fire scene.						
10. Evidence of fire cause/origin located.						
11. Candidate informs command about evidence located.						
PRESERVE AND PROTECT						
12. Delays salvage/overhaul as necessary.						
13. Charred material left in place until cleared by investigator.						
14. Minimizes water and other damage.						
15. Completes overhaul assignment without destroying evidence of fire cause/origin.						
Equipment Safety Stop: ☐			Candidate Safety Stop: ☐			
Candidate must successfully perform 15/15 steps including <u>ALL</u> Critical Criteria. ♦			Score: ____/15		Score: ____/15	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>						



Below Ground Level Structure Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.10(B-1, 2, 3, 4, 5, 10), 6.3.13(B-1, 3, 5)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 03

Instructions: As a member of a two to three (2-3) person team and under direct supervision, will extinguish a fire located below ground level within a structure. The candidate will use stairways to locate and extinguish the fire. The candidate shall expose, separate, remove and relocate charred material to a safe location and identify and preserve signs of area of origin and arson. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Vehicle Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.7(B-1, 2, 3, 4, 5, 6)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 04

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
PREPARATION				
1. Verbalizes how to identify automotive fuel type.				
2. Verbalizes how to access and control fuel leaks.				
FIRE CONTROL				
3. Deploys attack line.				
4. Checks and adjusts nozzle pattern for desired attack method.				
5. While advancing a 1.5 inch or larger attack line, applies water for maximum effectiveness and maintains flash fire protection.				
6. Safety precautions are maintained until exposed fuel tanks and sealed components are cooled.				
7. Stabilize vehicle.				
8. Fire controlled and assignment accomplished.				
9. Shuts down nozzle so that water hammer is avoided.				
10. Overhaul completed, battery disconnected (may be verbalized), cool fuel tank and shock absorbing bumper mounts if exposed to fire.				
11. Extinguish any remaining fire by opening compartments.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 11/11 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/11		Score: ____/11	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Vehicle Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.7(B-1, 2, 3, 4, 5, 6)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 04

Instructions: As a member of a two to three (2-3) person team and under direct supervision, will extinguish a fire located in a vehicle. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Dumpster and Stack Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.8(B-1, 2, 3, 4, 5, 6)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 05

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
PREPARATION				
1. Verbalizes hazards that may be present.				
2. Knocks down fire from a distance: caution used not to spread burning debris.				
STACKED MATERIAL				
3. Verbalizes the collapse hazard and the need to position outside of the collapse zone.				
4. Uses an appropriate nozzle pattern to penetrate the stacked material thoroughly.				
5. Shuts down nozzle so that water hammer is avoided.				
6. Separates and overhauls piles of burning material.				
7. Extinguishes fire.				
TRASH CONTAINER				
8. Head not placed over edge of trash container.				
9. Extinguishes fire.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 9/9 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/9		Score: ____/9	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Dumpster and Stack Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.8(B-1, 2, 3, 4, 5, 6)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 05

Instructions: As a member of a two to three (2-3) person team and under direct supervision, will extinguish a fire involving Class A materials that are located outside and in a dumpster. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 5 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Portable Fire Extinguishers

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition,
6.3.16(B-1, 2, 3, 4)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 06

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
CLASS B AND C				
Evaluator tells candidate: "You have responded to a fire at a machine shop and find a small electrical motor burning. Choose an extinguisher and extinguish fire."				
1. Shuts power off prior to attempting to extinguish.				
2. Operates extinguisher.				
3. Applies agent to base of flame.				
4. Applies agent by sweeping nozzle side to side.				
5. Extinguishes fire with a Class AB or Class ABC extinguisher.				
Equipment Safety Stop: ☐	Candidate Safety Stop: ☐			
Candidate must successfully perform 5/5 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/5		Score: ____/5	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill</u> .				



Portable Fire Extinguishers

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.16(B-1, 2, 3, 4)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 06

Instructions: The candidate, while working as an individual, shall choose the appropriate type of extinguishers and completely extinguish for Class B and C fires. Candidate will be wearing full PPE and SCBA, on air.

This skill must be conducted using an approved live fire extinguisher training prop with an actual fire. Simulators, virtual systems, or simulated fire environments are **not permitted** for FF1 certification testing.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 10 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			



Overhaul of Class A and Hidden Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.10(B-11), 6.3.13(B-2, 4, 5), 6.3.14(B-7)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 07

Candidate Printed Name	Date	Overall Skill Sheet Score	
		Pass _____	Fail _____

CANDIDATE PERFORMANCE	Test		Retest	
Candidate safely performs the following steps:	P	F	P	F
OVERHAUL				
1. Exposes hidden fire and overhaul as necessary.				
2. Utilizes APW or 1½” hoseline to extinguish fire.				
PRESERVE AND PROTECT				
3. Evidence of fire cause/origin located.				
4. Candidate informs command about evidence located.				
5. Separates, removes and relocates charred material to a safe location while protecting area of origin.				
6. Checks for extension into other areas.				
7. Completes overhaul assignment evaluating complete extinguishment without destroying evidence of fire cause/origin.				
Equipment Safety Stop: ☐ Candidate Safety Stop: ☐				
Candidate must successfully perform 7/7 steps including <u>ALL</u> Critical Criteria. ♦	Score: ____/7		Score: ____/7	
♦ Critical Criteria – Failure of this step results in <u>failure of the entire skill.</u>				



Overhaul of Class A and Hidden Fire

NFPA 1010, *Standard on Professional Qualifications for Firefighters*, 2024 Edition, 6.3.10(B-11), 6.3.13(B-2, 4, 5), 6.3.14(B-7)

Fire Fighter I Live Fire Evaluation

Skill Sheet FFI LFE – 07

Instructions: As a member of a two to three (2-3) person team and under direct supervision, candidates shall locate and suppress ceiling, interior wall or subfloor fires. Candidate will be wearing full PPE and SCBA, on air.

NOTE: If a skill is stopped due to an **equipment safety issue**, the candidate will be permitted to retest the skill. If a skill is stopped due to a **candidate safety issue**, the candidate will be considered to have failed the skill and will be dismissed from testing for the remainder of the day.

Maximum Time Allowed: 15 minutes

Note to Student: Skill will end when you state or indicate to the evaluator that you have completed all the identified steps.

Note to Evaluator(s): By your signature below, you verify that you did not instruct the skill you are evaluating. You are qualified to serve as an Oklahoma State University-Fire Service Training Evaluator. You have followed OSU-FST skills testing policy, and you have witnessed the candidate testing the above skills in their entirety.

Evaluator/Candidate Comments:

Evaluator Signature	Date	1 st Attempt Skill Sheet Score	
		Pass _____	Fail _____
Re-Test Evaluator Signature	Date	Re-Test Skill Sheet Score	
		Pass _____	Fail _____
Candidate Signature (if failed)			